

TECHNICAL SHEET

1913-23 LARGE

Mounting: Sospensione / Suspension
 Environment: Indoor - IP20
 Materials: Cemento / Concrete
 Input Current: 350 mA
 Source: LED 4W CRI=90
 Color Temperature: 3000K
 Lumen: 208 lm
 Cable RAL 7013



1913-22 MEDIUM

Mounting: Sospensione / Suspension
 Environment: Indoor - IP20
 Materials: Cemento / Concrete
 Input Current: 350 mA
 Source: LED 4W - CRI=90
 Color Temperature: 3000K
 Lumen: 208 lm
 Cable RAL 7013



1913-20 SMALL

Mounting: Sospensione / Suspension
 Environment: Indoor - IP20
 Materials: Cemento / Concrete
 Input Current: 350 mA
 Source: LED 4W - CRI=90
 Color Temperature: 3000K
 Lumen: 208 lm
 Cable RAL 7013



Rosoni / Canopies

1704-90 CANOPY TYPE B

Mounting: a soffitto / ceiling
 Environment: Indoor - IP20
 Materials: Metallo / Metal
 Voltage: 220-240V 50/60 Hz
 Lighting Control: on-off / 0-10V / Dimmable DALI



1704-91 CANOPY TYPE B RECESSED


Mounting: incasso / recessed
 Environment: Indoor - IP20
 Materials: Metallo / Metal
 Voltage: 24Vdc



NOTE:

Remote driver not included

**lampade installabili su pistre type B /
 lamps installable on plates type B**



Finiture / Finishes


Struttura / Structure



Grafite
Graphite



Verde salvia
Sage green



Senape
Mustard



Bianco
White

CODES

CODICI / CODES	MISURA / SIZE	STRUTTURA / STRUCTURE	DIFFUSORE / SHADE	DETTAGLI / DETAILS
1913-23-C500-N4NE	large suspension		verde salvia / sage green	cavo / wire 4 mt
1913-23-C500-N2NE	large suspension		verde salvia / sage green	cavo / wire 2 mt
1913-23-C400-N4NE	large suspension		senape / mustard	cavo / wire 4 mt
1913-23-C400-N2NE	large suspension		senape / mustard	cavo / wire 2 mt
1913-23-C300-N4NE	large suspension		bianco / white	cavo / wire 4 mt
1913-23-C300-N2NE	large suspension		bianco / white	cavo / wire 2 mt
1913-23-C200-N4NE	large suspension		grafite / graphite	cavo / wire 4 mt
1913-23-C200-N2NE	large suspension		grafite / graphite	cavo / wire 2 mt
1913-22-C500-N4NE	medium suspension		verde salvia / sage green	cavo / wire 4 mt
1913-22-C500-N2NE	medium suspension		verde salvia / sage green	cavo / wire 2 mt
1913-22-C400-N4NE	medium suspension		senape / mustard	cavo / wire 4 mt
1913-22-C400-N2NE	medium suspension		senape / mustard	cavo / wire 2 mt
1913-22-C300-N4NE	medium suspension		bianco / white	cavo / wire 4 mt
1913-22-C300-N2NE	medium suspension		bianco / white	cavo / wire 2 mt
1913-22-C200-N4NE	medium suspension		grafite / graphite	cavo / wire 4 mt
1913-22-C200-N2NE	medium suspension		grafite / graphite	cavo / wire 2 mt
1913-20-C500-N4NE	small suspension		verde salvia / sage green	cavo / wire 4 mt
1913-20-C500-N2NE	small suspension		verde salvia / sage green	cavo / wire 2 mt
1913-20-C400-N4NE	small suspension		senape / mustard	cavo / wire 4 mt
1913-20-C400-N2NE	small suspension		senape / mustard	cavo / wire 2 mt
1913-20-C300-N4NE	small suspension		bianco / white	cavo / wire 4 mt
1913-20-C300-N2NE	small suspension		bianco / white	cavo / wire 2 mt
1913-20-C200-N4NE	small suspension		grafite / graphite	cavo / wire 4 mt
1913-20-C200-N2NE	small suspension		grafite / graphite	cavo / wire 2 mt
1704-90-0600-NXLE	canopy type B	oro opaco / matt gold		on-off
1704-90-0600-DXLE	canopy type B	oro opaco / matt gold		dimmbable 0-10V
1704-90-0100-NXLE	canopy type B	bianco opaco / matt white		on-off
1704-90-0100-DXLE	canopy type B	bianco opaco / matt white		dimmbable 0-10V
1704-90-1100-NXLE	canopy type B	nero opaco / matt black		on-off
1704-90-1100-DXLE	canopy type B	nero opaco / matt black		dimmbable 0-10V
1704-90-0600-PXLE	canopy type B	oro opaco / matt gold		dimmbable DALI
1704-90-0100-PXLE	canopy type B	bianco opaco / matt white		dimmbable DALI
1704-90-1100-PXLE	canopy type B	nero opaco / matt black		dimmbable DALI
1704-91-0100-NXLE	canopy type B recessed	bianco opaco / matt white		