

TECHNICAL SHEET

2501-20 TALL

Mounting: Sospensione / Suspension

Environment: Indoor - IP20

Materials: Metallo / Metal

Input Current: 350 mA

Source: LED 7W - CRI=90

Color Temperature: 3000K / 2700K

Lumen: 600 lm

Cable RAL 9005



2501-21 SHORT

Mounting: Sospensione / Suspension

Environment: Indoor - IP20

Materials: Metallo / Metal

Input Current: 350 mA

Source: LED 7W - CRI=90

Color Temperature: 3000K / 2700K

Lumen: 600 lm

Cable RAL 9005



Rosoni / Canopies

2501-90 CANOPY TYPE H

Mounting: a soffitto / ceiling

Environment: Indoor - IP20

Materials: Metallo / Metal

Voltage: 220-240V 50/60 Hz

Lighting Control: On-off / Dimmable 0-10V / DALI



2501-91 CANOPY TYPE H RECESSED

Mounting: incasso / recessed

Environment: Indoor - IP20


Materials: Metallo / Metal

Voltage: 24Vdc



NOTE:

Remote driver not included



Finiture / Finishes

Vetri / Glasses



Cromo specchiato
Mirroring chrome



Oro specchiato
Mirroring gold



Bronzo specchiato
Mirroring bronze

Rosoni / Canopies



Metallo verniciato nero opaco
Matt black varnished metal



Metallo verniciato opaco titanio
Matt titanium varnished metal



Metallo verniciato bianco opaco
Matt white varnished metal

NOTE:

Tutti i corpi illuminanti possono essere venduti esclusivamente con i rosioni singoli, con le piastre multiple o con il rosone barra.

Vale altresì il viceversa: rosioni, piastre multiple e rosioni barra non possono essere venduti separatamente dai pendenti.

Tutti gli apparecchi sono testati e garantiti nella loro interezza: pendente + rosone, pendente/i + piastra multipla oppure pendente/i + rosone barra.

Qualsiasi installazione non autorizzata non viene giudicata conforme.

Verificare quota H max nel disegno illustrativo.

All luminaires can only be sold with the single rosettes, with the multiple plates or with bar canopies.

The reverse is also true: rosettes, multiple plates and bar canopies cannot be sold separately from pendants.

All fixture are tested and guaranteed in their entirety: pendant + rosette, pendant(s) + multiplate or pendant(s) + bar canopies.

Any unauthorized installation will not be deemed compliant.

Check max H dimension in the illustrative drawing.

CODES

CODICI / CODES MISURA / SIZE STRUTTURA / STRUCTURE DIFFUSORE / SHADE DETTAGLI / DETAILS

2501-20-0021-N2NE	tall suspension		bronzo specchiato / mirroring bronze	cavo / wire 2 mt 3000K
2501-20-0021-N2WE	tall suspension		bronzo specchiato / mirroring bronze	cavo / wire 2 mt 2700K
2501-20-0021-N4NE	tall suspension		bronzo specchiato / mirroring bronze	cavo / wire 4 mt 3000K
2501-20-0021-N4WE	tall suspension		bronzo specchiato / mirroring bronze	cavo / wire 4 mt 2700K
2501-20-0024-N2NE	tall suspension		cromo specchiato / mirroring chrome	cavo / wire 2 mt 3000K
2501-20-0024-N2WE	tall suspension		cromo specchiato / mirroring chrome	cavo / wire 2 mt 2700K
2501-20-0024-N4NE	tall suspension		cromo specchiato / mirroring chrome	cavo / wire 4 mt 3000K
2501-20-0024-N4WE	tall suspension		cromo specchiato / mirroring chrome	cavo / wire 4 mt 2700K
2501-20-0016-N2NE	tall suspension		oro specchiato / mirroring gold	cavo / wire 2 mt 3000K
2501-20-0016-N2WE	tall suspension		oro specchiato / mirroring gold	cavo / wire 2 mt 2700K
2501-20-0016-N4NE	tall suspension		oro specchiato / mirroring gold	cavo / wire 4 mt 3000K
2501-20-0016-N4WE	tall suspension		oro specchiato / mirroring gold	cavo / wire 4 mt 2700K
2501-21-0021-N2NE	short suspension		bronzo specchiato / mirroring bronze	cavo / wire 2 mt 3000K
2501-21-0021-N2WE	short suspension		bronzo specchiato / mirroring bronze	cavo / wire 2 mt 2700K
2501-21-0021-N4NE	short suspension		bronzo specchiato / mirroring bronze	cavo / wire 4 mt 3000K
2501-21-0021-N4WE	short suspension		bronzo specchiato / mirroring bronze	cavo / wire 4 mt 2700K
2501-21-0024-N2NE	short suspension		cromo specchiato / mirroring chrome	cavo / wire 2 mt 3000K
2501-21-0024-N2WE	short suspension		cromo specchiato / mirroring chrome	cavo / wire 2 mt 2700K
2501-21-0024-N4NE	short suspension		cromo specchiato / mirroring chrome	cavo / wire 4 mt 3000K
2501-21-0024-N4WE	short suspension		cromo specchiato / mirroring chrome	cavo / wire 4 mt 2700K
2501-21-0016-N2NE	short suspension		oro specchiato / mirroring gold	cavo / wire 2 mt 3000K
2501-21-0016-N2WE	short suspension		oro specchiato / mirroring gold	cavo / wire 2 mt 2700K
2501-21-0016-N4NE	short suspension		oro specchiato / mirroring gold	cavo / wire 4 mt 3000K
2501-21-0016-N4WE	short suspension		oro specchiato / mirroring gold	cavo / wire 4 mt 2700K

CODES

CODICI / CODES

MISURA / SIZE

STRUTTURA / STRUCTURE

DIFFUSORE / SHADE

DETTAGLI / DETAILS

2501-90-1800-NXLE	canopy type H	titanio opaco / matt titanium		on-off
2501-90-1800-DXLE	canopy type H	titanio opaco / matt titanium		dimmable 0-10V
2501-90-0100-NXLE	canopy type H	bianco opaco / matt white		on-off
2501-90-0100-DXLE	canopy type H	bianco opaco / matt white		dimmable 0-10V
2501-90-1100-NXLE	canopy type H	nero opaco / matt black		on-off
2501-90-1100-DXLE	canopy type H	nero opaco / matt black		dimmable 0-10V
2501-90-1800-PXLE	canopy type H	titanio opaco / matt titanium		dimmable DALI
2501-90-0100-PXLE	canopy type H	bianco opaco / matt white		dimmable DALI
2501-90-1100-PXLE	canopy type H	nero opaco / matt black		dimmable DALI
2501-91-0100-NXLE	canopy type H recessed	bianco opaco / matt white		