Glo mini for Stream

TECHNICAL SHEET



T-0811-20

Mounting: Sospensione / Suspension

Environment: Indoor - IP20

Materials: Vetro / Glass

Source: LED 4W


Dimmable DALI

Color Temperature: 2700K

Cable RAL 9005

CE LED

T-0811-20



Finiture / Finishes

Vetri specchiati / Mirroring Glass

Trasparente
Transparent



Argento specchiato
Mirroring silver



Oro specchiato
Mirroring gold



Oro rosa specchiato
Mirroring rose gold



4ever specchiato
Mirroring 4ever



Verde specchiato
Mirroring green



Nero specchiato
Mirroring black



Bronzo specchiato
Mirroring bronze



Blu specchiato
Mirroring blue



Viola specchiato
Mirroring violet

NOTE:
Tutti i corpi illuminanti possono essere venduti esclusivamente con i rosoni singoli, con le piastre multiple o con il rosone barra.
Vale altresì il viceversa: rosoni, piastre multiple e rosoni barra non possono essere venduti separatamente dai pendenti.
Tutti gli apparecchi sono testati e garantiti nella loro interezza: pendente + rosone, pendente/i + piastra multipla oppure pendente/i + rosone barra.
Qualsiasi installazione non autorizzata non viene giudicata conforme.
Verificare quota H max nel disegno illustrativo.

All luminaires can only be sold with the single rosettes, with the multiple plates or with bar canopies.
The reverse is also true: rosettes, multiple plates and bar acnopies cannot be sold separately from pendants.
All fixture are tested and guaranteed in their entirety: pendant + rosette, pendant(s) + multiplate or pendant(s) + bar canopies.
Any unauthorized installation will not be deemed compliant.
Check max H dimension in the illustrative drawing.

Glo mini for Stream

PENTA

CODES

CODICI / CODES	MISURA / SIZE	STRUTTURA / STRUCTURE	DIFFUSORE / SHADE	DETTAGLI / DETAILS
T-0811-20-2421-PTWE	mini suspension		bronzo specchiato / mirroring bronze	cavo / wire 1,2 mt
T-0811-20-2421-PSWE	mini suspension		bronzo specchiato / mirroring bronze	cavo / wire 0,9 mt
T-0811-20-2419-PTWE	mini suspension		viola specchiato / mirroring violet	cavo / wire 1,2 mt
T-0811-20-2419-PSWE	mini suspension		viola specchiato / mirroring violet	cavo / wire 0,9 mt
T-0811-20-2418-PTWE	mini suspension		verde specchiato / mirroring green	cavo / wire 1,2 mt
T-0811-20-2418-PSWE	mini suspension		verde specchiato / mirroring green	cavo / wire 0,9 mt
T-0811-20-2417-PTWE	mini suspension		oro rosa specchiato / mirroring rose gold	cavo / wire 1,2 mt
T-0811-20-2417-PSWE	mini suspension		oro rosa specchiato / mirroring rose gold	cavo / wire 0,9 mt
T-0811-20-2416-PTWE	mini suspension		oro specchiato / mirroring gold	cavo / wire 1,2 mt
T-0811-20-2416-PSWE	mini suspension		oro specchiato / mirroring gold	cavo / wire 0,9 mt
T-0811-20-2415-PTWE	mini suspension		nero specchiato / mirroring black	cavo / wire 1,2 mt
T-0811-20-2415-PSWE	mini suspension		nero specchiato / mirroring black	cavo / wire 0,9 mt
T-0811-20-2414-PTWE	mini suspension		blu specchiato / mirroring blue	cavo / wire 1,2 mt
T-0811-20-2414-PSWE	mini suspension		blu specchiato / mirroring blue	cavo / wire 0,9 mt
T-0811-20-2413-PTWE	mini suspension		argento specchiato / mirroring silver	cavo / wire 1,2 mt
T-0811-20-2413-PSWE	mini suspension		argento specchiato / mirroring silver	cavo / wire 0,9 mt
T-0811-20-2411-PTWE	mini suspension		4ever specchiato / mirroring 4ever	cavo / wire 1,2 mt
T-0811-20-2411-PSWE	mini suspension		4ever specchiato / mirroring 4ever	cavo / wire 0,9 mt
T-0811-20-2401-PTWE	mini suspension		trasparente / transparent	cavo / wire 1,2 mt
T-0811-20-2401-PSWE	mini suspension		trasparente / transparent	cavo / wire 0,9 mt

Hail for Stream

TECHNICAL SHEET



T-2501-20 TALL

Mounting: Sospensione / Suspension

Environment: Indoor - IP20

Materials: Metallo / Metal

Input Current: 350 mA

Source: LED 4W - CRI=90

Dimmable DALI


Color Temperature: 2700K

Lumen: 170 lm

Cable RAL 9005

CE LED

T-2304-20



Finiture / Finishes

Struttura / Structure



Bronzo opaco
Matt bronze



Nero opaco
Matt black



Oro opaco
Matt gold

NOTE:
Tutti i corpi illuminanti possono essere venduti esclusivamente con i rosoni singoli, con le piastre multiple o con il rosone barra.
Vale altresì il viceversa: rosoni, piastre multiple e rosoni barra non possono essere venduti separatamente dai pendenti.
Tutti gli apparecchi sono testati e garantiti nella loro interezza: pendente + rosone, pendente/i + piastra multipla oppure pendente/i + rosone barra.
Qualsiasi installazione non autorizzata non viene giudicata conforme.
Verificare quota H max nel disegno illustrativo.

All luminaires can only be sold with the single rosettes, with the multiple plates or with bar canopies.
The reverse is also true: rosettes, multiple plates and bar acnopies cannot be sold separately from pendants.
All fixture are tested and guaranteed in their entirety: pendant + rosette, pendant(s) + multiplate or pendant(s) + bar canopies.
Any unauthorized installation will not be deemed compliant.
Check max H dimension in the illustrative drawing.

Hail for Stream

PENTA

CODES

CODICI / CODES	MISURA / SIZE	STRUTTURA / STRUCTURE	DIFFUSORE / SHADE	DETTAGLI / DETAILS
T-2501-20-1121-PTWE		bronzo opaco / matt bronze		altezza / height 1.2 m 2700K
T-2501-20-1121-PSWE		bronzo opaco / matt bronze		altezza / height 0.9 m 2700K
T-2501-20-1124-PTWE		nero opaco / matt black		altezza / height 1.2 m 2700K
T-2501-20-1124-PSWE		nero opaco / matt black		altezza / height 0.9 m 2700K
T-2501-20-1116-PTWE		oro opaco / matt gold		altezza / height 1.2m 2700K
T-2501-20-1116-PSWE		oro opaco / matt gold		altezza / height 0.9 m 2700K

Iconica for Stream

TECHNICAL SHEET



T-2501-20 TALL

Mounting: Sospensione / Suspension

Environment: Indoor - IP20

Materials: Metallo / Metal

Input Current: 350 mA

Source: LED 7W - CRI=90

Dimmable DALI

Color Temperature: 2700K

Lumen: 600 lm

Cable RAL 9005

CE LED

T-2501-21 SHORT

Mounting: Sospensione / Suspension

Environment: Indoor - IP20

Materials: Metallo / Metal

Input Current: 350 mA

Source: LED 7W - CRI=90

Dimmable DALI


Color Temperature: 2700K

Lumen: 600 lm


Cable RAL 9005

CE LED

T-2501-20



T-2501-21



Finiture / Finishes

Vetri / Glasses



Cromo specchiato
Mirroring chrome



Oro specchiato
Mirroring gold



Bronzo specchiato
Mirroring bronze

NOTE:
Tutti i corpi illuminanti possono essere venduti esclusivamente con i rosoni singoli, con le piastre multiple o con il rosone barra.
Vale altresì il viceversa: rosoni, piastre multiple e rosoni barra non possono essere venduti separatamente dai pendenti.
Tutti gli apparecchi sono testati e garantiti nella loro interezza: pendente + rosone, pendente/i + piastra multipla oppure pendente/i + rosone barra.
Qualsiasi installazione non autorizzata non viene giudicata conforme.
Verificare quota H max nel disegno illustrativo.

All luminaires can only be sold with the single rosettes, with the multiple plates or with bar canopies.
The reverse is also true: rosettes, multiple plates and bar acnopies cannot be sold separately from pendants.
All fixture are tested and guaranteed in their entirety: pendant + rosette, pendant(s) + multiplate or pendant(s) + bar canopies.
Any unauthorized installation will not be deemed compliant.
Check max H dimension in the illustrative drawing.

Iconica for Stream

PENTA

CODES

CODICI / CODES	MISURA / SIZE	STRUTTURA / STRUCTURE	DIFFUSORE / SHADE	DETTAGLI / DETAILS
T-2501-20-1121-PTWE	tall suspension		bronzo specchiato / mirroring bronze	altezza / height 1.2 m 2700K
T-2501-20-1121-PSWE	tall suspension		bronzo specchiato / mirroring bronze	altezza / height 0.9 m 2700K
T-2501-20-1124-PTWE	tall suspension		cromo specchiato / mirroring chrome	altezza / height 1.2 m 2700K
T-2501-20-1124-PSWE	tall suspension		cromo specchiato / mirroring chrome	altezza / height 0.9 m 2700K
T-2501-20-1116-PTWE	tall suspension		oro specchiato / mirroring gold	altezza / height 1.2m 2700K
T-2501-20-1116-PSWE	tall suspension		oro specchiato / mirroring gold	altezza / height 0.9 m 2700K
T-2501-21-1121-PTWE	short suspension		bronzo specchiato / mirroring bronze	altezza / height 1.2 m 2700K
T-2501-21-1121-PSWE	short suspension		bronzo specchiato / mirroring bronze	altezza / height 0.9 m 2700K
T-2501-21-1124-PTWE	short suspension		cromo specchiato / mirroring chrome	altezza / height 1.2 m 2700K
T-2501-21-1124-PSWE	short suspension		cromo specchiato / mirroring chrome	altezza / height 0.9 m 2700K
T-2501-21-1116-PTWE	short suspension		oro specchiato / mirroring gold	altezza / height 1.2 m 2700K
T-2501-21-1116-PSWE	short suspension		oro specchiato / mirroring gold	altezza / height 0.9 m 2700K

Misty for Stream

TECHNICAL SHEET



T-2504-20 MINI

Mounting: Sospensione / Suspension

Environment: Indoor - IP20

Materials: Metallo / Metal

Input Current: 350 mA

Source: LED 4W - CRI=90
Dimmable DALI

Color Temperature: 2700K

Lumen: 170 lm

Cable RAL 9005

CE LED

T-2504-22 MICRO

Mounting: Sospensione / Suspension

Environment: Indoor - IP20

Materials: Metallo / Metal

Input Current: 350 mA

Source: LED 4W - CRI=90
Dimmable DALI


Color Temperature: 2700K

Lumen: 170 lm


Cable RAL 9005

CE LED

T-2504-20



T-2504-22



Finiture / Finishes

Vetri / Glasses



Argento Specchiato
Mirroring silver



Oro specchiato
Mirroring gold



Nero specchiato
Mirroring black

Struttura / Structure



Nero opaco
Matt black

NOTE:
Tutti i corpi illuminanti possono essere venduti esclusivamente con i rosoni singoli, con le piastre multiple o con il rosone barra.
Vale altresì il viceversa: rosoni, piastre multiple e rosoni barra non possono essere venduti separatamente dai pendenti.
Tutti gli apparecchi sono testati e garantiti nella loro interezza: pendente + rosone, pendente/i + piastra multipla oppure pendente/i + rosone barra.
Qualsiasi installazione non autorizzata non viene giudicata conforme.
Verificare quota H max nel disegno illustrativo.

All luminaires can only be sold with the single rosettes, with the multiple plates or with bar canopies.
The reverse is also true: rosettes, multiple plates and bar acnopies cannot be sold separately from pendants.
All fixture are tested and guaranteed in their entirety: pendant + rosette, pendant(s) + multiplate or pendant(s) + bar canopies.
Any unauthorized installation will not be deemed compliant.
Check max H dimension in the illustrative drawing.

Misty for Stream


PENTA

CODES

CODICI / CODES	MISURA / SIZE	STRUTTURA / STRUCTURE	DIFFUSORE / SHADE	DETTAGLI / DETAILS
T-2504-20-1113-PTWE	mini suspension	nero opaco / matt black	argento specchiato / mirroring silver	altezza / height 1.2 m 2700K
T-2504-20-1113-PSWE	mini suspension	nero opaco / matt black	argento specchiato / mirroring silver	altezza / height 0.9 m 2700K
T-2504-20-1116-PTWE	mini suspension	nero opaco / matt black	oro specchiato / mirroring gold	altezza / height 1.2 m 2700K
T-2504-20-1116-PSWE	mini suspension	nero opaco / matt black	oro specchiato / mirroring gold	altezza / height 0.9 m 2700K
T-2504-20-1115-PTWE	mini suspension	nero opaco / matt black	nero specchiato / mirroring black	altezza / height 1.2 m 2700K
T-2504-20-1115-PSWE	mini suspension	nero opaco / matt black	nero specchiato / mirroring black	altezza / height 0.9 m 2700K
T-2504-22-1113-PTWE	micro suspension	nero opaco / matt black	argento specchiato / mirroring silver	altezza / height 1.2 m 2700K
T-2504-22-1113-PSWE	micro suspension	nero opaco / matt black	argento specchiato / mirroring silver	altezza / height 0.9 m 2700K
T-2504-22-1116-PTWE	micro suspension	nero opaco / matt black	oro specchiato / mirroring gold	altezza / height 1.2 m 2700K
T-2504-22-1116-PSWE	micro suspension	nero opaco / matt black	oro specchiato / mirroring gold	altezza / height 0.9 m 2700K
T-2504-22-1115-PTWE	micro suspension	nero opaco / matt black	nero specchiato / mirroring black	altezza / height 1.2 m 2700K
T-2504-22-1115-PSWE	micro suspension	nero opaco / matt black	nero specchiato / mirroring black	altezza / height 0.9 m 2700K

Misty Texture for Stream

TECHNICAL SHEET



T-2504-25 MINI

Mounting: Sospensione / Suspension

Environment: Indoor - IP20

Materials: Metallo / Metal

Input Current: 350 mA

Source: LED 4W - CRI=90

Dimmable DALI

Color Temperature: 2700K

Lumen: 170 lm

Cable RAL 9005

CE LED

T-2504-24 MICRO

Mounting: Sospensione / Suspension

Environment: Indoor - IP20

Materials: Metallo / Metal

Input Current: 350 mA

Source: LED 4W - CRI=90

Dimmable DALI


Color Temperature: 2700K

Lumen: 170 lm


Cable RAL 9005

CE LED

T-2504-25



T-2504-24



Finiture / Finishes

Vetri / Glasses

Fumé
Fumé



Trasparente
Transparent

Struttura / Structure



Nero opaco
Matt black

NOTE:
Tutti i corpi illuminanti possono essere venduti esclusivamente con i rosoni singoli, con le piastre multiple o con il rosone barra.
Vale altresì il viceversa: rosoni, piastre multiple e rosoni barra non possono essere venduti separatamente dai pendenti.
Tutti gli apparecchi sono testati e garantiti nella loro interezza: pendente + rosone, pendente/i + piastra multipla oppure pendente/i + rosone barra.
Qualsiasi installazione non autorizzata non viene giudicata conforme.
Verificare quota H max nel disegno illustrativo.

All luminaires can only be sold with the single rosettes, with the multiple plates or with bar canopies.
The reverse is also true: rosettes, multiple plates and bar acnopies cannot be sold separately from pendants.
All fixture are tested and guaranteed in their entirety: pendant + rosette, pendant(s) + multiplate or pendant(s) + bar canopies.
Any unauthorized installation will not be deemed compliant.
Check max H dimension in the illustrative drawing.

Misty Texture for Stream

PENTA

CODES

CODICI / CODES	MISURA / SIZE	STRUTTURA / STRUCTURE	DIFFUSORE / SHADE	DETTAGLI / DETAILS
T-2504-25-1101-PTWE	mini suspension	nero opaco / matt black	trasparente / transparent	altezza / height 1.2 m 2700K
T-2504-25-1101-PSWE	mini suspension	nero opaco / matt black	trasparente / transparent	altezza / height 0.9 m 2700K
T-2504-25-1163-PTWE	mini suspension	nero opaco / matt black	nero fumé / black fumé	altezza / height 1.2 m 2700K
T-2504-25-1163-PSWE	mini suspension	nero opaco / matt black	nero fumé / black fumé	altezza / height 0.9 m 2700K
T-2504-24-1101-PTWE	micro suspension	nero opaco / matt black	trasparente / transparent	altezza / height 1.2 m 2700K
T-2504-24-1101-PSWE	micro suspension	nero opaco / matt black	trasparente / transparent	altezza / height 0.9 m 2700K
T-2504-24-1163-PTWE	micro suspension	nero opaco / matt black	nero fumé / black fumé	altezza / height 1.2 m 2700K
T-2504-24-1163-PSWE	micro suspension	nero opaco / matt black	nero fumé / black fumé	altezza / height 0.9 m 2700K

Eidos for Stream

TECHNICAL SHEET



T-2502-41 SPOTLIGHT 45 ZOOM

Mounting: Track

Environment: Indoor - IP20

Materials: Metallo / Metal

Voltage: 48V

Source: LED 8W - CRI=90

Color Temperature: 2700K

Dimmable DALI

Lumen: 570 lm

ZOOM (15° - 55°)

CE LED

T-2502-40 SPOTLIGHT 35 ZOOM

Mounting: Track

Environment: Indoor - IP20

Materials: Metallo / Metal

Voltage: 48V

Source: LED 5W - CRI=90

Color Temperature: 2700K


Dimmable DALI

Lumen: 350 lm


ZOOM (15° - 55°)

CE LED

T-2502-41



T-2502-40



Finiture / Finishes

Struttura / Structure

Nero opaco
Matt black

NOTE:
Tutti i corpi illuminanti possono essere venduti esclusivamente con i rosoni singoli, con le piastre multiple o con il rosone barra.
Vale altresì il viceversa: rosoni, piastre multiple e rosoni barra non possono essere venduti separatamente dai pendenti.
Tutti gli apparecchi sono testati e garantiti nella loro interezza: pendente + rosone, pendente/i + piastra multipla oppure pendente/i + rosone barra.
Qualsiasi installazione non autorizzata non viene giudicata conforme.
Verificare quota H max nel disegno illustrativo.

All luminaires can only be sold with the single rosettes, with the multiple plates or with bar canopies.
The reverse is also true: rosettes, multiple plates and bar acnopies cannot be sold separately from pendants.
All fixture are tested and guaranteed in their entirety: pendant + rosette, pendant(s) + multiplate or pendant(s) + bar canopies.
Any unauthorized installation will not be deemed compliant.
Check max H dimension in the illustrative drawing.

Eidos for Stream

CODES

CODICI / CODES	MISURA / SIZE	STRUTTURA / STRUCTURE	DIFFUSORE / SHADE	DETTAGLI / DETAILS
T-2502-41-1100-PXWE	Ø 45	nero opaco / matt black		ZOOM
T-2502-40-1100-PXWE	**Ø 35**	nero opaco / matt black		ZOOM

Kyo Marco Acerbis 2026

PENTA

TECHNICAL SHEET



T-2601-20 NANO

Mounting: Sospensione / Suspension
Environment: Indoor - IP20
Materials: Vetro e alluminio / Glass and aluminium
Source: LED 7W - CRI=90
Color Temperature: 3000K / 2700K
Cable RAL 9005

CE LED

T-2601-21 MICRO

Mounting: Sospensione / Suspension
Environment: Indoor - IP20
Materials: Vetro e alluminio / Glass and aluminium
Source: LED 7W - CRI=90
Color Temperature: 3000K / 2700K
Cable RAL 9005

CE LED

T-2601-22 MINI

Mounting: Sospensione / Suspension
Environment: Indoor - IP20
Materials: Vetro e alluminio / Glass and aluminium
Source: LED 7W - CRI=90
Color Temperature: 3000K / 2700K
Cable RAL 9005

CE LED

T-2601-23 SMALL


Mounting: Sospensione / Suspension
Environment: Indoor - IP20
Materials: Vetro e alluminio / Glass and aluminium
Source: LED 7W - CRI=90
Color Temperature: 3000K / 2700K
Cable RAL 9005

CE LED

T-2601-24 MEDIUM

Mounting: Sospensione / Suspension
Environment: Indoor - IP20
Materials: Vetro e alluminio / Glass and aluminium
Source: LED 7W - CRI=90
Color Temperature: 3000K / 2700K
Cable RAL 9005

CE LED



Finiture / Finishes

Vetri / Glasses



Trasparente
Transparent



Bianco opaco
Matt white



Nero specchiato
Mirroring black



Bronzo specchiato
Mirroring bronze



Rosa specchiato
Mirroring pink

Struttura / Structure



Nero opaco
Matt black

NOTE:
Tutti i corpi illuminanti possono essere venduti esclusivamente con i rosoni singoli, con le piastre multiple o con il rosone barra.
Vale altresì il viceversa: rosoni, piastre multiple e rosoni barra non possono essere venduti separatamente dai pendenti.
Tutti gli apparecchi sono testati e garantiti nella loro interezza: pendente + rosone, pendente/i + piastra multipla oppure pendente/i + rosone barra.
Qualsiasi installazione non autorizzata non viene giudicata conforme.
Verificare quota H max nel disegno illustrativo.

All luminaires can only be sold with the single rosettes, with the multiple plates or with bar canopies.
The reverse is also true: rosettes, multiple plates and bar acnopies cannot be sold separately from pendants.
All fixture are tested and guaranteed in their entirety: pendant + rosette, pendant(s) + multiplate or pendant(s) + bar canopies.
Any unauthorized installation will not be deemed compliant.
Check max H dimension in the illustrative drawing.

Kyo Marco Acerbis 2026

PENTA

CODES

CODICI / CODES	MISURA / SIZE	STRUTTURA / STRUCTURE	DIFFUSORE / SHADE	DETTAGLI / DETAILS
T-2601-20-1115-N2WE	nano suspension	alluminio anodizzato nero / black anodized aluminum	vetro nero specchiato / black mirroring glass	cavo / wire 2 mt 2700K
T -2601-20-1115-N4WE	nano suspension	alluminio anodizzato nero / black anodized aluminum	vetro nero specchiato / black mirroring glass	cavo / wire 4 mt 2700K
T-2601-20-1121-N2WE	nano suspension	alluminio anodizzato nero / black anodized aluminum	vetro bronzo specchiato / bronze mirroring glass	cavo / wire 2 mt 2700K
T-2601-20-1121-N4WE	nano suspension	alluminio anodizzato nero / black anodized aluminum	vetro bronzo specchiato / bronze mirroring glass	cavo / wire 4 mt 2700K
T-2601-20-1122-N2WE	nano suspension	alluminio anodizzato nero / black anodized aluminum	vetro rosa chéri / pink chéri glass	cavo / wire 2 mt 2700K
T-2601-20-1122-N4WE	nano suspension	alluminio anodizzato nero / black anodized aluminum	vetro rosa chéri / pink chéri glass	cavo / wire 4 mt 2700K
T- 2601-20-1131-N2WE	nano suspension	alluminio anodizzato nero / black anodized aluminum	vetro bianco opaco / matt white glass	cavo / wire 2 mt 2700K
T-2601-20-1131-N4WE	nano suspension	alluminio anodizzato nero / black anodized aluminum	vetro bianco opaco / matt white glass	cavo / wire 4 mt 2700K
T-2601-20-1101-N2WE	nano suspension	alluminio anodizzato nero / black anodized aluminum	vetro trasparente / transparent glass	cavo / wire 2 mt 2700K
T-2601-20-1101-N4WE	nano suspension	alluminio anodizzato nero / black anodized aluminum	vetro trasparente / transparent glass	cavo / wire 4 mt 2700K
T-2601-20-1115-N2NE	nano suspension	alluminio anodizzato nero / black anodized aluminum	vetro nero specchiato / black mirroring glass	cavo / wire 2 mt 3000K
T-2601-20-1115-N4NE	nano suspension	alluminio anodizzato nero / black anodized aluminum	vetro nero specchiato / black mirroring glass	cavo / wire 4 mt 3000K
T-2601-20-1121-N2NE	nano suspension	alluminio anodizzato nero / black anodized aluminum	vetro bronzo specchiato / bronze mirroring glass	cavo / wire 2 mt 3000K
T-2601-20-1121-N4NE	nano suspension	alluminio anodizzato nero / black anodized aluminum	vetro bronzo specchiato / bronze mirroring glass	cavo / wire 4 mt 3000K
T-2601-20-1122-N2NE	nano suspension	alluminio anodizzato nero / black anodized aluminum	vetro rosa chéri / pink chéri glass	cavo / wire 2 mt 3000K
T-2601-20-1122-N4NE	nano suspension	alluminio anodizzato nero / black anodized aluminum	vetro rosa chéri / pink chéri glass	cavo / wire 4 mt 3000K
T-2601-20-1131-N2NE	nano suspension	alluminio anodizzato nero / black anodized aluminum	vetro bianco opaco / matt white glass	cavo / wire 2 mt 3000K
T-2601-20-1131-N4NE	nano suspension	alluminio anodizzato nero / black anodized aluminum	vetro bianco opaco / matt white glass	cavo / wire 4 mt 3000K
T-2601-20-1101-N2WE	nano suspension	alluminio anodizzato nero / black anodized aluminum	vetro trasparente / transparent glass	cavo / wire 2 mt 3000K
T-2601-20-1101-N4WE	nano suspension	alluminio anodizzato nero / black anodized aluminum	vetro trasparente / transparent glass	cavo / wire 4 mt 3000K

Kyo Marco Acerbis 2026

PENTA

CODES

CODICI / CODES	MISURA / SIZE	STRUTTURA / STRUCTURE	DIFFUSORE / SHADE	DETTAGLI / DETAILS
T-2601-21-1115-N2WE	micro suspension	alluminio anodizzato nero / black anodized aluminum	vetro nero specchiato / black mirroring glass	cavo / wire 2 mt 2700K
T-2601-21-1115-N4WE	micro suspension	alluminio anodizzato nero / black anodized aluminum	vetro nero specchiato / black mirroring glass	cavo / wire 4 mt 2700K
T-2601-21-1121-N2WE	micro suspension	alluminio anodizzato nero / black anodized aluminum	vetro bronzo specchiato / bronze mirroring glass	cavo / wire 2 mt 2700K
T-2601-21-1121-N4WE	micro suspension	alluminio anodizzato nero / black anodized aluminum	vetro bronzo specchiato / bronze mirroring glass	cavo / wire 4 mt 2700K
T-2601-21-1122-N2WE	micro suspension	alluminio anodizzato nero / black anodized aluminum	vetro rosa chéri / pink chéri glass	cavo / wire 2 mt 2700K
T-2601-21-1122-N4WE	micro suspension	alluminio anodizzato nero / black anodized aluminum	vetro rosa chéri / pink chéri glass	cavo / wire 4 mt 2700K
T-2601-21-1131-N2WE	micro suspension	alluminio anodizzato nero / black anodized aluminum	vetro bianco opaco / matt white glass	cavo / wire 2 mt 2700K
T-2601-21-1131-N4WE	micro suspension	alluminio anodizzato nero / black anodized aluminum	vetro bianco opaco / matt white glass	cavo / wire 4 mt 2700K
T-2601-21-1101-N2WE	micro suspension	alluminio anodizzato nero / black anodized aluminum	vetro trasparente / transparent glass	cavo / wire 2 mt 2700K
T-2601-21-1101-N4WE	micro suspension	alluminio anodizzato nero / black anodized aluminum	vetro trasparente / transparent glass	cavo / wire 4 mt 2700K
T-2601-21-1115-N2NE	micro suspension	alluminio anodizzato nero / black anodized aluminum	vetro nero specchiato / black mirroring glass	cavo / wire 2 mt 3000K
T-2601-21-1115-N4NE	micro suspension	alluminio anodizzato nero / black anodized aluminum	vetro nero specchiato / black mirroring glass	cavo / wire 4 mt 3000K
T-2601-21-1121-N2NE	micro suspension	alluminio anodizzato nero / black anodized aluminum	vetro bronzo specchiato / bronze mirroring glass	cavo / wire 2 mt 3000K
T-2601-21-1121-N4NE	micro suspension	alluminio anodizzato nero / black anodized aluminum	vetro bronzo specchiato / bronze mirroring glass	cavo / wire 4 mt 3000K
T-2601-21-1122-N2NE	micro suspension	alluminio anodizzato nero / black anodized aluminum	vetro rosa chéri / pink chéri glass	cavo / wire 2 mt 3000K
T-2601-21-1122-N4NE	micro suspension	alluminio anodizzato nero / black anodized aluminum	vetro rosa chéri / pink chéri glass	cavo / wire 4 mt 3000K
T-2601-21-1131-N2NE	micro suspension	alluminio anodizzato nero / black anodized aluminum	vetro bianco opaco / matt white glass	cavo / wire 2 mt 3000K
T-2601-21-1131-N4NE	micro suspension	alluminio anodizzato nero / black anodized aluminum	vetro bianco opaco / matt white glass	cavo / wire 4 mt 3000K
T-2601-21-1101-N2WE	micro suspension	alluminio anodizzato nero / black anodized aluminum	vetro trasparente / transparent glass	cavo / wire 2 mt 3000K
T-2601-21-1101-N4WE	micro suspension	alluminio anodizzato nero / black anodized aluminum	vetro trasparente / transparent glass	cavo / wire 4 mt 3000K

Kyo Marco Acerbis 2026

PENTA

CODES

CODICI / CODES	MISURA / SIZE	STRUTTURA / STRUCTURE	DIFFUSORE / SHADE	DETTAGLI / DETAILS
T-2601-22-1115-N2WE	mini suspension	alluminio anodizzato nero / black anodized aluminum	vetro nero specchiato / black mirroring glass	cavo / wire 2 mt 2700K
T-2601-22-1115-N4WE	mini suspension	alluminio anodizzato nero / black anodized aluminum	vetro nero specchiato / black mirroring glass	cavo / wire 4 mt 2700K
T-2601-22-1121-N2WE	mini suspension	alluminio anodizzato nero / black anodized aluminum	vetro bronzo specchiato / bronze mirroring glass	cavo / wire 2 mt 2700K
T-2601-22-1121-N4WE	mini suspension	alluminio anodizzato nero / black anodized aluminum	vetro bronzo specchiato / bronze mirroring glass	cavo / wire 4 mt 2700K
T-2601-22-1122-N2WE	mini suspension	alluminio anodizzato nero / black anodized aluminum	vetro rosa chéri / pink chéri glass	cavo / wire 2 mt 2700K
T-2601-22-1122-N4WE	mini suspension	alluminio anodizzato nero / black anodized aluminum	vetro rosa chéri / pink chéri glass	cavo / wire 4 mt 2700K
T-2601-22-1131-N2WE	mini suspension	alluminio anodizzato nero / black anodized aluminum	vetro bianco opaco / matt white glass	cavo / wire 2 mt 2700K
T-2601-22-1131-N4WE	mini suspension	alluminio anodizzato nero / black anodized aluminum	vetro bianco opaco / matt white glass	cavo / wire 4 mt 2700K
T-2601-22-1101-N2WE	mini suspension	alluminio anodizzato nero / black anodized aluminum	vetro trasparente / transparent glass	cavo / wire 2 mt 2700K
T-2601-22-1101-N4WE	mini suspension	alluminio anodizzato nero / black anodized aluminum	vetro trasparente / transparent glass	cavo / wire 4 mt 2700K
T-2601-22-1115-N2NE	mini suspension	alluminio anodizzato nero / black anodized aluminum	vetro nero specchiato / black mirroring glass	cavo / wire 2 mt 3000K
T-2601-22-1115-N4NE	mini suspension	alluminio anodizzato nero / black anodized aluminum	vetro nero specchiato / black mirroring glass	cavo / wire 4 mt 3000K
T-2601-22-1121-N2NE	mini suspension	alluminio anodizzato nero / black anodized aluminum	vetro bronzo specchiato / bronze mirroring glass	cavo / wire 2 mt 3000K
T-2601-22-1121-N4NE	mini suspension	alluminio anodizzato nero / black anodized aluminum	vetro bronzo specchiato / bronze mirroring glass	cavo / wire 4 mt 3000K
T-2601-22-1122-N2NE	mini suspension	alluminio anodizzato nero / black anodized aluminum	vetro rosa chéri / pink chéri glass	cavo / wire 2 mt 3000K
T-2601-22-1122-N4NE	mini suspension	alluminio anodizzato nero / black anodized aluminum	vetro rosa chéri / pink chéri glass	cavo / wire 4 mt 3000K
T-2601-22-1131-N2NE	mini suspension	alluminio anodizzato nero / black anodized aluminum	vetro bianco opaco / matt white glass	cavo / wire 2 mt 3000K
T-2601-22-1131-N4NE	mini suspension	alluminio anodizzato nero / black anodized aluminum	vetro bianco opaco / matt white glass	cavo / wire 4 mt 3000K
T-2601-22-1101-N2WE	mini suspension	alluminio anodizzato nero / black anodized aluminum	vetro trasparente / transparent glass	cavo / wire 2 mt 3000K
T-2601-22-1101-N4WE	mini suspension	alluminio anodizzato nero / black anodized aluminum	vetro trasparente / transparent glass	cavo / wire 4 mt 3000K

Kyo Marco Acerbis 2026

PENTA

CODES

CODICI / CODES	MISURA / SIZE	STRUTTURA / STRUCTURE	DIFFUSORE / SHADE	DETTAGLI / DETAILS
T-2601-23-1115-N2WE	small suspension	alluminio anodizzato nero / black anodized aluminum	vetro nero specchiato / black mirroring glass	cavo / wire 2 mt 2700K
T-2601-23-1115-N4WE	small suspension	alluminio anodizzato nero / black anodized aluminum	vetro nero specchiato / black mirroring glass	cavo / wire 4 mt 2700K
T-2601-23-1121-N2WE	small suspension	alluminio anodizzato nero / black anodized aluminum	vetro bronzo specchiato / bronze mirroring glass	cavo / wire 2 mt 2700K
T-2601-23-1121-N4WE	small suspension	alluminio anodizzato nero / black anodized aluminum	vetro bronzo specchiato / bronze mirroring glass	cavo / wire 4 mt 2700K
T-2601-23-1122-N2WE	small suspension	alluminio anodizzato nero / black anodized aluminum	vetro rosa chéri / pink chéri glass	cavo / wire 2 mt 2700K
T-2601-23-1122-N4WE	small suspension	alluminio anodizzato nero / black anodized aluminum	vetro rosa chéri / pink chéri glass	cavo / wire 4 mt 2700K
T-2601-23-1131-N2WE	small suspension	alluminio anodizzato nero / black anodized aluminum	vetro bianco opaco / matt white glass	cavo / wire 2 mt 2700K
T-2601-23-1131-N4WE	small suspension	alluminio anodizzato nero / black anodized aluminum	vetro bianco opaco / matt white glass	cavo / wire 4 mt 2700K
T-2601-23-1101-N2WE	small suspension	alluminio anodizzato nero / black anodized aluminum	vetro trasparente / transparent glass	cavo / wire 2 mt 2700K
T-2601-23-1101-N4WE	small suspension	alluminio anodizzato nero / black anodized aluminum	vetro trasparente / transparent glass	cavo / wire 4 mt 2700K
T-2601-23-1115-N2NE	small suspension	alluminio anodizzato nero / black anodized aluminum	vetro nero specchiato / black mirroring glass	cavo / wire 2 mt 3000K
T-2601-23-1115-N4NE	small suspension	alluminio anodizzato nero / black anodized aluminum	vetro nero specchiato / black mirroring glass	cavo / wire 4 mt 3000K
T-2601-23-1121-N2NE	small suspension	alluminio anodizzato nero / black anodized aluminum	vetro bronzo specchiato / bronze mirroring glass	cavo / wire 2 mt 3000K
T-2601-23-1121-N4NE	small suspension	alluminio anodizzato nero / black anodized aluminum	vetro bronzo specchiato / bronze mirroring glass	cavo / wire 4 mt 3000K
T-2601-23-1122-N2NE	small suspension	alluminio anodizzato nero / black anodized aluminum	vetro rosa chéri / pink chéri glass	cavo / wire 2 mt 3000K
T-2601-23-1122-N4NE	small suspension	alluminio anodizzato nero / black anodized aluminum	vetro rosa chéri / pink chéri glass	cavo / wire 4 mt 3000K
T-2601-23-1131-N2NE	small suspension	alluminio anodizzato nero / black anodized aluminum	vetro bianco opaco / matt white glass	cavo / wire 2 mt 3000K
T-2601-23-1131-N4NE	small suspension	alluminio anodizzato nero / black anodized aluminum	vetro bianco opaco / matt white glass	cavo / wire 4 mt 3000K
T-2601-23-1101-N2WE	small suspension	alluminio anodizzato nero / black anodized aluminum	vetro trasparente / transparent glass	cavo / wire 2 mt 3000K
T-2601-23-1101-N4WE	small suspension	alluminio anodizzato nero / black anodized aluminum	vetro trasparente / transparent glass	cavo / wire 4 mt 3000K

Kyo Marco Acerbis 2026

PENTA

CODES

CODICI / CODES	MISURA / SIZE	STRUTTURA / STRUCTURE	DIFFUSORE / SHADE	DETTAGLI / DETAILS
T-2601-24-1115-N2WE	medium suspension	alluminio anodizzato nero / black anodized aluminum	vetro nero specchiato / black mirroring glass	cavo / wire 2 mt 2700K
T-2601-24-1115-N4WE	medium suspension	alluminio anodizzato nero / black anodized aluminum	vetro nero specchiato / black mirroring glass	cavo / wire 4 mt 2700K
T-2601-24-1121-N2WE	medium suspension	alluminio anodizzato nero / black anodized aluminum	vetro bronzo specchiato / bronze mirroring glass	cavo / wire 2 mt 2700K
T-2601-24-1121-N4WE	medium suspension	alluminio anodizzato nero / black anodized aluminum	vetro bronzo specchiato / bronze mirroring glass	cavo / wire 4 mt 2700K
T-2601-24-1122-N2WE	medium suspension	alluminio anodizzato nero / black anodized aluminum	vetro rosa chéri / pink chéri glass	cavo / wire 2 mt 2700K
T-2601-24-1122-N4WE	medium suspension	alluminio anodizzato nero / black anodized aluminum	vetro rosa chéri / pink chéri glass	cavo / wire 4 mt 2700K
T-2601-24-1131-N2WE	medium suspension	alluminio anodizzato nero / black anodized aluminum	vetro bianco opaco / matt white glass	cavo / wire 2 mt 2700K
T-2601-24-1131-N4WE	medium suspension	alluminio anodizzato nero / black anodized aluminum	vetro bianco opaco / matt white glass	cavo / wire 4 mt 2700K
T-2601-24-1101-N2WE	medium suspension	alluminio anodizzato nero / black anodized aluminum	vetro trasparente / transparent glass	cavo / wire 2 mt 2700K
T-2601-24-1101-N4WE	medium suspension	alluminio anodizzato nero / black anodized aluminum	vetro trasparente / transparent glass	cavo / wire 4 mt 2700K
T-2601-24-1115-N2NE	medium suspension	alluminio anodizzato nero / black anodized aluminum	vetro nero specchiato / black mirroring glass	cavo / wire 2 mt 3000K
T-2601-24-1115-N4NE	medium suspension	alluminio anodizzato nero / black anodized aluminum	vetro nero specchiato / black mirroring glass	cavo / wire 4 mt 3000K
T-2601-24-1121-N2NE	medium suspension	alluminio anodizzato nero / black anodized aluminum	vetro bronzo specchiato / bronze mirroring glass	cavo / wire 2 mt 3000K
T-2601-24-1121-N4NE	medium suspension	alluminio anodizzato nero / black anodized aluminum	vetro bronzo specchiato / bronze mirroring glass	cavo / wire 4 mt 3000K
T-2601-24-1122-N2NE	medium suspension	alluminio anodizzato nero / black anodized aluminum	vetro rosa chéri / pink chéri glass	cavo / wire 2 mt 3000K
T-2601-24-1122-N4NE	medium suspension	alluminio anodizzato nero / black anodized aluminum	vetro rosa chéri / pink chéri glass	cavo / wire 4 mt 3000K
T-2601-24-1131-N2NE	medium suspension	alluminio anodizzato nero / black anodized aluminum	vetro bianco opaco / matt white glass	cavo / wire 2 mt 3000K
T-2601-24-1131-N4NE	medium suspension	alluminio anodizzato nero / black anodized aluminum	vetro bianco opaco / matt white glass	cavo / wire 4 mt 3000K
T-2601-24-1101-N2WE	medium suspension	alluminio anodizzato nero / black anodized aluminum	vetro trasparente / transparent glass	cavo / wire 2 mt 3000K
T-2601-24-1101-N4WE	medium suspension	alluminio anodizzato nero / black anodized aluminum	vetro trasparente / transparent glass	cavo / wire 4 mt 3000K

Eidos glass 2026

PENTA

TECHNICAL SHEET



T-2502-42 SPOTLIGHT D35 FIX

Mounting: track

Environment: Indoor - IP20

Materials: Metallo - Vetro / Metal - Glass

Voltage: 48V

Source: LED 6W - CRI=90

Color Temperature: 2700K

Lumen: 445lm

Dimmable DALI

Beam: 24°

CE LED

T-2502-42 SPOTLIGHT D45 FIX

Mounting: track

Environment: Indoor - IP20

Materials: Metallo - Vetro / Metal - Glass

Voltage: 48V

Source: LED 10W - CRI=90

Color Temperature: 2700K


Lumen: 745lm

Dimmable DALI


Beam: 24°

CE LED

T-2504-42



T-2504-43



Finiture / Finishes

Vetro / Glass



Oro rosa specchiato
Mirroring rose gold



Bronzo specchiato
Mirroring bronze



Nero fumé
Black fumé

Struttura / Structure



Nero opaco
Matt black

NOTE:

Tutti gli apparecchi di illuminazione possono essere venduti esclusivamente con i singoli rosoni, con le piastre multiple o con i binari a soffitto.
È vero anche il contrario: rosoni, piastre multiple e binari a soffitto non possono essere venduti separatamente dalle sospensioni.
Tutti gli apparecchi sono testati e garantiti nella loro interezza: sospensione + rosone, sospensione/i + piastra multipla oppure sospensione/i + binario a soffitto. Qualsiasi installazione non autorizzata non sarà ritenuta conforme. Verificare la dimensione massima H nel disegno illustrativo.

All luminaires can only be sold with the single rosettes, with the multiple plates or with bar canopies.
The reverse is also true: rosettes, multiple plates and bar acnopies cannot be sold separately from pendants.
All fixture are tested and guaranteed in their entirety: pendant + rosette, pendant(s) + multiplate or pendant(s) + bar canopies.
Any unauthorized installation will not be deemed compliant.
Check max H dimension in the illustrative drawing.

Eidos glass 2026

PENTA

CODES

CODICI / CODES	MISURA / SIZE	STRUTTURA / STRUCTURE	DIFFUSORE / SHADE	DETTAGLI / DETAILS
T-2501-42-1117-PXWE	D35 FIX	nero opaco / matt black	oro rosa specchiato / mirroring rose gold	2700K Dimmable DALI
T-2501-42-1121-PXWE	D35 FIX	nero opaco / matt black	bronzo specchiato / mirroring bronze	2700K Dimmable DALI
T-2501-42-1163-PXWE	D35 FIX	nero opaco / matt black	nero fumé / black fumé	2700K Dimmable DALI
T-2501-43-1117-PXWE	D45 FIX	nero opaco / matt black	oro rosa specchiato / mirroring rose gold	2700K Dimmable DALI
T-2501-43-1121-PXWE	D45 FIX	nero opaco / matt black	bronzo specchiato / mirroring bronze	2700K Dimmable DALI
T-2501-42-1163-PXWE	D45 FIX	nero opaco / matt black	nero fumé / black fumé	2700K Dimmable DALI